Page: 1 of 6

# SAFETY DATA SHEET

Sani-Clean

Revision: 05/04/2015 Distributor: Smart Systems • 303 South Byrkit Avenue • Mishawaka, IN 46544 • (574) 257-9998

1. Product and Company Identification

**Product Code:** 4481 Supersedes Revision: 01/11/2015

**Product Name:** Sani-Clean

PDQ Manufacturing, Inc. **Phone Number:** Company Name:

201 Victory Circle (706)636-1848

Ellijay, GA 30540

Web site address: www.pdqonline.com

**Emergency Contact:** Chemtrec, Reference: CCN203605 (800)424-9300 info@pdgonline.com Information: (706)636-1848

### 2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 1 Skin Corrosion/Irritation, Category 2 Aquatic Toxicity (Acute), Category 1





Aquatic Toxicity (Chronic), Category 2

**GHS Signal Word:** Danger

**GHS Hazard Phrases:** H315 - Causes skin irritation.

> H318 - Causes serious eye damage. H400 - Very toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P264 - Wash hands thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+352 - IF ON SKIN: Wash with plenty of soap and water. **GHS Response Phrases:** 

> P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling

poison control center or physician.

P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment see Section 4 on this label.

P332+313 - If skin irritation occurs, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

P391 - Collect spillage.

**GHS Storage and Disposal** 

Phrases:

P501 - Dispose of contents/container to waste after rinsing.

**Potential Health Effects** (Acute and Chronic):

Adverse reproductive effects have been reported in animals.

Prolonged or repeated skin contact may cause defatting and dermatitis. May cause

anemia and other blood cell abnormalities.

Chronic: None. Prolonged or repeated exposure may cause nausea, dizziness, and

headache. May cause kidney damage.

Inhalation: No hazard expected in normal industrial use. Causes irritation of the mucous membrane

and upper respiratory tract. Harmful if inhaled. May cause respiratory tract irritation.

**Skin Contact:** Causes skin irritation. Causes redness and pain. Ingestion can cause burning pain in

Revision: 05/04/2015

mouth, throat and abdomen - May be fatal if ingested.

Eye Contact: Causes eye irritation. Causes redness and pain. Lachrymator (substance which

increases the flow of tears).

**Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause

central nervous system depression, characterized by excitement, followed by headache,

dizziness, drowsiness, and nausea. Advanced stages may cause collapse,

unconsciousness, coma and possible death due to respiratory failure. May cause

irritation of the digestive tract. May be harmful if swallowed.

### 3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

68131-39-5 Ethoxylated linear alcohol 4.0 -7.0 %

68391-01-5 Quaternary ammonium 4.5 %

compounds,benzyl-C12-18-alkyldimethyl,
chlorides

64-17-5 Ethyl alcohol {Ethanol} 0.506 %

### 4. First Aid Measures

**Emergency and First Aid** 

Procedures:

**In Case of Inhalation:** Remove from exposure and move to fresh air immediately. If breathing is difficult, give

oxygen. Get medical aid.

In Case of Skin Contact: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid.

**In Case of Ingestion:** If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by

mouth to an unconscious person. Get medical aid.

Note to Physician: None known.

### 5. Fire Fighting Measures

Flash Pt: NP

**Explosive Limits:** LEL: N.A. UEL: N.A.

Autoignition Pt: NP

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.

May form explosive peroxides. Vapors may be heavier than air.

Flammable Properties and

Hazards:

Revision: 05/04/2015

Other Limits

Page: 3 of 6

### 6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. A vapor suppressing foam may be used to reduce vapors. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Avoid generating dusty conditions. Do not let this chemical enter the environment.

## 7. Handling and Storage

Precautions To Be Taken in Handling:

No special handling procedures are required. Wash thoroughly after handling. Use only in a well-ventilated area. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Avoid ingestion and inhalation. Do not ingest or inhale.

Precautions To Be Taken in Storing:

No special storage requirements. Store in a cool, dry place. Keep away from acids.

#### .....

# 8. Exposure Controls/Personal Protection CAS # Partial Chemical Name OSHA TWA ACGIH TWA

68131-39-5 Ethoxylated linear alcohol 68391-01-5 Quaternary ammonium

compounds, benzyl-C12-18-alkyldimeth

yl, chlorides

64-17-5 Ethyl alcohol {Ethanol} PEL: 1000 ppm TLV: 1000 ppm

**Respiratory Equipment** 

(Specify Type):

Respirator protection is not normally required. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard

EN 149 must be followed whenever workplace conditions warrant respirator use.

**Eye Protection:** Wear chemical splash goggles. Wear appropriate protective eyeglasses or chemical

safety goggles as described by OSHA's eye and face protection regulations in 29 CFR

1910.133 or European Standard EN166.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Protective garments not normally required. Wear appropriate protective clothing to

prevent skin exposure.

Engineering Controls (Ventilation etc.):

There are no special ventilation requirements. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general

or local exhaust ventilation to keep airborne concentrations below the permissible

exposure limits.

Revision: 05/04/2015

	9. Physical and Chemical Properties				
Physical States:	[ ] Gas [ X ] Liquid [ ] Solid				
Appearance and Odor:	Fragrant odor.				
	Clear red liquid				
Freezing Point:	< 0.00 C				
Boiling Point:	> 100.00 C				
<b>Decomposition Temperature:</b>	NE				
Autoignition Pt:	NP				
Flash Pt:	NP				
<b>Explosive Limits:</b>	LEL: N.A. UEL: N.A.				
Specific Gravity (Water = 1):	1.028 - 1.049 at 25.0 C				
Density:	NP				
Vapor Pressure (vs. Air or	NE				
mm Hg):					
Vapor Density (vs. Air = 1):	NE				
Evaporation Rate:	> 1 (H2O=1)				
Solubility in Water:	100%				
Saturated Vapor	NE				
Concentration:					
Viscosity:	NPThin				
pH:	10.7 - 12.7				
Percent Volatile:	< 89.0 % by weight.				
VOC / Volume:	0.0000 G/L				
10. Stability and Reactivity					
Stability:	Unstable [ ] Stable [ X ]				
Conditions To Avoid - Instability:	Incompatible materials.				
Incompatibility - Materials To Avoid:	Strong acids. 6-trinitrotoluene.				
<b>Hazardous Decomposition or</b>	Hazardous Decomposition or Carbon monoxide, irritating and toxic fumes and gases, Carbon dioxide.				

**Byproducts:** 

Possibility of Hazardous Will occur [ ] Will not occur [ X ]

Reactions:

**Conditions To Avoid -Hazardous Reactions:** 

Revision: 05/04/2015

### 11. Toxicological Information

**Toxicological Information:** Epidemiology: No data available.

Teratogenicity: No data available.

Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: No information found.

Teratogenicity: Teratogenic effects have occurred in experimental animals.

Carcinogenicity/Other

Information:

CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 95-63-6: Not

listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 67-63-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 68131-39-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 92-71-7: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 1806-34-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 497-19-8: Not

listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68131-39-5	Ethoxylated linear alcohol	n.a.	n.a.	n.a.	n.a.
68391-01-5	Quaternary ammonium compounds,benzyl-C12-18-alkyldimethyl, chlorides	n.a.	n.a.	n.a.	n.a.
64-17-5	Ethyl alcohol {Ethanol}	n.a.	1	A4	n.a.

### 12. Ecological Information

General Ecological Information:

Environmental: Bioconcentration in aquatic organisms is moderate to high based on BCF values of 31-275, measured in carp. 1,2,4-Trimethylbenzene is expected to

photodegrade in natural waters. If released to the atmosphere, 1,2,4-trimethylbenzene

will exist solely in the vapor phase in the ambient atmosphere. Vapor-phase 1,2,4-trimethylbenzene is degraded in the atmosphere by reaction with

photochemically-produced hydroxyl radicals and nitrate radicals with half-lives of about

12 hours and 6-30 days, respectively. Physical: No information available.

Not regulated under U.S. Department of Transportation regulations (29 CFR)

# 13. Disposal Considerations

**Waste Disposal Method:** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

# 14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: DISINFECTANTS, LIQUID, CORROSIVE, N.O.S. ()

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN1903 Packing Group: III



Revision: 05/04/2015

# 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists									
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)					
68131-39-5	Ethoxylated linear alcohol	No	No	No					
68391-01-5	Quaternary ammonium compounds,benzyl-C12-18-alkyldimethyl, chlorides	No	No	No					
64-17-5	Ethyl alcohol {Ethanol}	No	No	No					
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists							
68131-39-5	Ethoxylated linear alcohol	ear alcohol CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No							
68391-01-5	Quaternary ammonium	CAA HAP,ODC:	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -						
	compounds,benzyl-C12-18-alkyldimethyl, chlorides	Inventory; CA PI	ROP.65: No						
64-17-5	Ethyl alcohol {Ethanol}	CAA HAP,ODC:	No; CWA NPDES:	No; TSCA: Yes -					
		Inventory; CA PI	ROP.65: No						

### 16. Other Information

**Revision Date:** 05/04/2015

Preparer Name: Regulatory Affairs

**Hazard Rating System:** 



HMIS:

Additional Information About EPA Registration Number: 1839-95-58880

**This Product:** 

EPA Establishment Number: 58880-GA-001

Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.